

XML Schema guide ContractAwardNotice

Mult.	Tree	XML Element	Business term
		ContractAwardNotice	
1..1	├──	ext:UBLExtensions	
1..n	├──	ext:UBLExtension	
1..1	├──	ext:ExtensionContent	
0..1	├──	uhm2:RegisteredDatabaseID	BT ID: - Name: Registered database identifier Example: XY
0..1	├──	uhm2:SwedishProcurementID	BT ID: BT-UHM-1 Name: Swedish Procurement Identifier Usage: The Swedish Procurement Identifier, issued by the registered database. Example: XY123
1..1	├──	cbc:UBLVersionID	BT ID: - Name: Version of UBL Usage: Indicates the version (major and minor) of the UBL standard. Use value 2.3 Example: 2.3
1..1	├──	cbc:CustomizationID	BT ID: - Name: Identifier of the UBL customization Usage: The customizationID is used to distinguish which schema guide (implementation guide) a message instance complies to. When eSenders are communicating with TED, another value of CustomizationID is used. Mapping: Ange/Use value "urn:upphandlingsmyndigheten.se: noticereport:1.1" Example: urn:upphandlingsmyndigheten.se: noticereport:1.1
1..1	├──	cbc:ID	BT ID: BT-701 Name: Notice Identifier Usage: The Notice identifier is a unique identifier for this notice. For above threshold notices, this identifier is the one used in TED. For below threshold notices, the registered database needs to assign an identifier. Example: 12345
1..1	├──	cbc:ContractFolderID	BT ID: BT-04 Name: Procedure Identifier Usage: The European Public Procurement Procedure Identifier, a unique identifier of a procurement procedure. Including this identifier in all published versions of this notice (e.g. published on TED, national publication portals, regional publication portals) allows unique identification of procurement procedures around the EU. This information does not exist for notices of "Planning" form type. NB. This Business Term will be used when eForms is introduced and will be generated and assigned by the TED through a webservice. Mapping: Use value NA when missing. Använd värde NA om uppgiften saknas. Example: 999999
1..1	├──	cbc:IssueDate	BT ID: BT-UHM-2 Name: Notice Publication Date Usage: Date for when the notice was published in the registered database. NB. Deviates from eForm usage of the same element which is used for a different purpose toward TED. Example: 2021-02-01
1..1	├──	cbc:VersionID	BT ID: BT-757 Name: Notice Version Usage: The version identifier of the notice. Example: 01
1..1	├──	cbc:RegulatoryDomain	BT ID: BT-01 Name: Procedure Legal Basis Usage: Above threshold:

XML Schema guide ContractAwardNotice

Mult.	Tree	XML Element	Business term
			<p>The Procedure Legal Basis term refers to the EU regulatory domain that applies to the procurement.</p> <p>The code values are the ones of the corresponding CELEX number (e.g. "32014L0024" for Directive 2014/24).</p> <p>For below threshold: Use code values LOU,LUK,LUFS or LUF (Codelist included in the validation artefacts is extended with these codes) Codelist: https://op.europa.eu/sv/web/eu-vocabularies/at-concept-scheme/-/resource/authority/legal-basis <i>Example:</i> 32003R1435</p>
1..1	cbc:NoticeTypeCode		<p>BT ID: BT-02 Name: Notice Type Usage: The code lists for Notice Types has been extended with value "be-t" which indicates "Below threshold". Codelist: https://op.europa.eu/sv/web/eu-vocabularies/at-concept-scheme/-/resource/authority/notice-type <i>Example:</i> can-standard</p>
M	listName		<p>BT ID: BT-03 Name: Form Type Mapping: https://op.europa.eu/sv/web/eu-vocabularies/at-concept-scheme/-/resource/authority/form-type <i>Example:</i> result</p>
1..n	cac:ContractingParty		
0..n	cac:ContractingPartyType		
1..1	cbc:PartyTypeCode		<p>BT ID: BT-08 Name: Organisation Role Usage: The code for party role. Mapping: @listName='organisation-role' Codelist: https://op.europa.eu/sv/web/eu-vocabularies/at-dataset/-/resource/dataset/organisation-role <i>Example:</i> buyer</p> <p>BT ID: BT-11 Name: Buyer Legal Type Usage: The type of buyer according to procurement legislation (e.g. central government authority, body governed by public law). Mapping: @listName='buyer-legal-type' Codelist: https://op.europa.eu/sv/web/eu-vocabularies/at-dataset/-/resource/dataset/buyer-legal-type + TED XML codes: MINISTRY NATIONAL_AGENCY REGIONAL_AUTHORITY REGIONAL_AGENCY BODY_PUBLIC EU_INSTITUTION <i>Example:</i> la</p>
M	listName		<i>Example:</i> organisation-role
0..n	cac:ContractingActivity		
0..1	cbc:ActivityTypeCode		<p>BT ID: BT-10 Name: Activity Authority Usage: The main activity of the contracting authority. Use when proper code exists Mapping: When @listName="main-activity". Codelist: https://op.europa.eu/sv/web/eu-vocabularies/at-concept-scheme/-/resource/authority/main-activity <i>Example:</i> gen-pub</p> <p>BT ID: BT-610 Name: Activity Entity Usage: The main activity of the contracting entity. Use when proper code exists Mapping: @listName="main-activity". Codelist: https://op.europa.eu/sv/web/eu-vocabularies/at-concept-scheme/-/resource/authority/main-activity <i>Example:</i> health</p>
M	listName		<i>Example:</i> main-activity

XML Schema guide ContractAwardNotice

Mult.	Tree	XML Element	Business term
0..n		cbc:ActivityType	<p>BT ID: BT-10</p> <p>Name: Activity Authority</p> <p>Usage: Textual description. Use when no proper code exists</p> <p>BT ID: BT-610</p> <p>Name: Activity Entity</p> <p>Usage: Textual description. Use when no proper code exists</p>
1..1		cac:Party	
1..1		cac:PartyName	
1..1		cbc:Name	<p>BT ID: BT-500</p> <p>Name: Organisation Name</p> <p>Usage: The official name of the organisation.</p> <p><i>Example:</i> <i>Exempelnamn</i></p>
1..1		cac:PartyLegalEntity	
1..1		cbc:CompanyID	<p>BT ID: BT-501</p> <p>Name: Organisation Identifier</p> <p>Usage: The identifier of the organisation, such as Swedish Organisation number</p> <p><i>Example:</i> <i>5512345678</i></p>
0..1		cac:TenderingTerms	
0..1		cac:AwardingTerms	
1..n		cac:AwardingCriterion	
1..1		cbc:AwardingCriterionTypeCode	<p>BT ID: BT-539</p> <p>Name: Award Criterion Type</p> <p>Usage: Whether the criterion concerns the price, the cost, or a non-price non-cost attribute of the tender. (Price is the acquisition price; cost is any other non-price monetary criterion.)</p> <p>Mapping: @listName="award-criterion-type"</p> <p>Codelist: https://op.europa.eu/sv/web/eu-vocabularies/at-concept-scheme/-/resource/authority/award-criterion-type + TED XML codes: AC_PROCUREMENT_DOC AC_CRITERIUM</p> <p><i>Example:</i> <i>price</i></p>
M		listName	<i>Example:</i> <i>award-criterion-type</i>
0..1		cac:TenderingProcess	
0..1		cbc:ProcedureCode	<p>BT ID: BT-105</p> <p>Name: Procedure Type</p> <p>Usage: This term refers to the type of procurement procedure (e.g. according to the types given in the procurement Directives). Added codes for below threshold. See detailed usage in the main specification.</p> <p>Mapping: @listName="procurement-procedure-type"</p> <p>Codelist: https://op.europa.eu/sv/web/eu-vocabularies/at-dataset/-/resource/dataset/procurement-procedure-type + TED XML codes: PT_OPEN PT_DA_EMERGENCY_MEASURE PT_DA_INTERNAL_OPERATOR PT_DA_SMALL_CONTRACT PT_DA_MEDIUM_ENTERPRISE PT_DA_RAILWAY_TRANSPORT + UHM codes: be-t-simplified-procedure be-t-selective-procedure be-t-direct-award</p> <p><i>Example:</i> <i>open</i></p>
M		listName	<i>Example:</i> <i>procurement-procedure-type</i>
0..1		cbc:UrgencyCode	<p>BT ID: BT-106</p> <p>Name: Procedure Accelerated</p> <p>Usage: The time limit for receipt of requests to participate or tenders in this procedure can be reduced due to a state of urgency.</p> <p>Use value "urgent"</p> <p><i>Example:</i> <i>urgent</i></p>
0..1		cac:ProcurementProject	
0..1		cbc:Name	<p>BT ID: BT-21</p>

XML Schema guide ContractAwardNotice

Mult.	Tree	XML Element	Business term
			<p>Name: Title</p> <p>Usage: The name of the procurement procedure or lot.</p> <p><i>Example:</i> Tjänster avseende mobiltelefoni</p>
0..1	cbc:Description		<p>BT ID: BT-24</p> <p>Name: Description</p> <p>Usage: The description of the nature and quantity of what is being bought or of the needs and requirements that should be met in this procedure or lot.</p> <p><i>Example:</i> Mobiltelefonitjänster omfattar generellt sett SIM-kort, åtkomst till mobila nätverk, mobiltäckning och internetdata.</p>
0..1	cbc:ProcurementTypeCode		<p>BT ID: BT-23</p> <p>Name: Main Nature</p> <p>Usage: The main nature (e.g. works) of what is being bought.</p> <p>Mapping: @listName="contract-nature"</p> <p>Codelist: https://op.europa.eu/sv/web/eu-vocabularies/at-concept-scheme/-/resource/authority/contract-nature</p> <p><i>Example:</i> services</p>
M	listName		<i>Example:</i> contract-nature
0..1	cac:RequestedTenderTotal		
0..1	cbc:EstimatedOverallContractAmount		<p>BT ID: BT-27</p> <p>Name: Estimated Value</p> <p>Usage: The Estimated Value represents the maximum aggregated amount of all the individual components that constitute the current notice, Group of lots, lot or part. Currency and amount shall be specified.</p> <p><i>Example:</i> 2500000</p>
M	currencyID		<i>Example:</i> SEK
0..1	cbc:EstimatedOverallFrameworkContractsAmount		<p>BT ID: BT-118</p> <p>Name: Notice Framework Value</p> <p>Usage: The maximum or estimated value which can be spent within the framework agreement(s) announced in this notice over its whole duration, in all lots, including options and renewals. Currency and amount shall be specified.</p> <p><i>Example:</i> 2500000</p>
M	currencyID		<i>Example:</i> SEK
0..1	cbc:TotalAmount		<p>BT ID: BT-161</p> <p>Name: Notice Value</p> <p>Usage: The value of all contracts awarded in this notice, including options and renewals. Currency and amount shall be specified.</p> <p><i>Example:</i> 2500000</p>
M	currencyID		<i>Example:</i> SEK
0..n	cac:MainCommodityClassification		
1..1	cbc:ItemClassificationCode		<p>BT ID: BT-262</p> <p>Name: Main Classification Code</p> <p>Usage: The code from the classification that best characterizes the purchase.</p> <p>Codelist: Common Procurement Vocabulary</p> <p><i>Example:</i> 752000008</p>
M	listName		<p>BT ID: BT-26</p> <p>Name: Classification Type</p> <p>Usage: Possible values are listed in the Classification Type codelist. Currently, only the "CPV" and "SupplementaryCPV" values are considered; however, other classification systems could later be used.</p> <p>Mapping: @listName="CPV" "SupplementaryCPV"</p> <p><i>Example:</i> CPV</p>
0..n	cac:AdditionalCommodityClassification		
1..1	cbc:ItemClassificationCode		<p>BT ID: BT-263</p> <p>Name: Additional Classification Codes</p> <p>Usage: An additional code from the classification that also characterize the purchase.</p> <p>Codelist: Common Procurement Vocabulary</p> <p><i>Example:</i> 752000008</p>
M	listName		<p>BT ID: BT-26</p> <p>Name: Classification Type</p> <p>Usage: Possible values are listed in the Classification Type codelist.</p>

XML Schema guide ContractAwardNotice

Mult.	Tree	XML Element	Business term
			Currently, only the "CPV" and "SupplementaryCPV" values are considered; however, other classification systems could later be used. Mapping: @listName="CPV" "SupplementaryCPV" Example: SupplementaryCPV
0..n		cac:ProcurementProjectLot	
1..1		cbc:ID	BT ID: BT-137 Name: Purpose Lot Identifier Usage: An identifier of a lot. If only one exists, use value 1. Example: 1
0..1		cac:TenderingTerms	
0..1		cac:AwardingTerms	
1..n		cac:AwardingCriterion	
1..1		cbc:AwardingCriterionTypeCode	BT ID: BT-539 Name: Award Criterion Type Usage: Whether the criterion concerns the price, the cost, or a non-price non-cost attribute of the tender. (Price is the acquisition price; cost is any other non-price monetary criterion.) Mapping: @listName="award-criterion-type" Codelist: https://op.europa.eu/sv/web/eu-vocabularies/at-concept-scheme/-/resource/authority/award-criterion-type + TED XML codes: AC_PROCUREMENT_DOC AC_CRITERIUM Example: price
M		listName	Example: award-criterion-type
0..1		cac:TenderingProcess	
0..n		cac:NoticeDocumentReference	
1..1		cbc:ID	BT ID: BT-125 Name: Previous Planning Identifier Usage: The identifier of a prior information notice or another similar notice related to this notice. Use the identifier which was used to identify the previous notice submitted to UHM. Mapping: @schemeName = "PreviousPlanning" Example: 35478
0..1		cac:AuctionTerms	
1..1		cbc:AuctionConstraintIndicator	BT ID: BT-767 Name: Electronic Auction Usage: Specifies that an electronic auction is used. Example: true
0..n		cac:ContractingSystem	
1..1		cbc:ContractingSystemTypeCode	BT ID: BT-766 Name: Dynamic Purchasing System Usage: Specifies the existence of a Dynamic Purchasing System (DPS) and its use. Mapping: @listName='dps-usage' Codelist: https://op.europa.eu/sv/web/eu-vocabularies/at-concept-scheme/-/resource/authority/dps-usage + TED XML codes: DPS Example: dps-list BT ID: BT-765 Name: Framework Agreement Usage: Specifies if Framework Agreement is used. Mapping: @listName='framework-agreement' Codelist: https://op.europa.eu/sv/web/eu-vocabularies/at-concept-scheme/-/resource/authority/framework-agreement + TED XML codes: FRAMEWORK Example: fa-w-rc
M		listName	Example: dps-usage
0..1		cac:ProcurementProject	
0..1		cbc:Name	BT ID: BT-21 Name: Title

XML Schema guide

ContractAwardNotice

Mult.	Tree	XML Element	Business term
			<p>Usage: The name of the procurement procedure or lot. <i>Example:</i> <i>Tjänster avseende mobiltelefoni</i></p>
0..1		cbc:Description	<p>BT ID: BT-24 Name: Description Usage: The description of the nature and quantity of what is being bought or of the needs and requirements that should be met in this procedure or lot. <i>Example:</i> <i>Mobiltelefonitjänster omfattar generellt sett SIM-kort, åtkomst till mobila nätverk, mobiltäckning och internetdata.</i></p>
0..1		cbc:ProcurementTypeCode	<p>BT ID: BT-23 Name: Main Nature Usage: The main nature (e.g. works) of what is being bought. Mapping: @listName="contract-nature" Codelist: https://op.europa.eu/sv/web/eu-vocabularies/at-concept-scheme/-/resource/authority/contract-nature <i>Example:</i> <i>services</i></p>
M		<i>listName</i>	<i>Example:</i> <i>contract-nature</i>
0..n		cac:ProcurementAdditionalType	
1..1		cbc:ProcurementTypeCode	<p>BT ID: BT-774 Name: Green Procurement Usage: An approach to reducing the environmental impacts of the work, supply or service (e.g. requesting compliance with an environmental label). Mapping: @listName="environmental-impact" Codelist: https://op.europa.eu/sv/web/eu-vocabularies/at-concept-scheme/-/resource/authority/environmental-impact <i>Example:</i> <i>reg-834-2007-com</i></p> <p>BT ID: BT-775 Name: Social Procurement Usage: A social objective promoted by the works, supplies or services (e.g. fair working conditions) Mapping: @listName="social-objective" Codelist: https://op.europa.eu/sv/web/eu-vocabularies/at-concept-scheme/-/resource/authority/social-objective <i>Example:</i> <i>work-cond</i></p> <p>BT ID: BT-776 Name: Innovative Procurement Usage: An indication that innovative works, supplies or services are being bought (e.g. the procured works, supplies or services being novel for the whole market). Mapping: @listName="innovative-acquisition" Codelist: https://op.europa.eu/sv/web/eu-vocabularies/at-concept-scheme/-/resource/authority/innovative-acquisition <i>Example:</i> <i>buy-eff</i></p>
M		<i>listName</i>	<p>BT ID: BT-06 Name: Strategic Procurement Usage: Use appropriate code (to indicate if BT-774,BT-775,BT-776 is used) Mapping: @name="StrategicProcurement". Mapping: https://op.europa.eu/sv/web/eu-vocabularies/at-concept-scheme/-/resource/authority/strategic-procurement <i>Example:</i> <i>social-objective</i></p>
M		<i>name</i>	<i>Example:</i> <i>StrategicProcurement</i>
0..1		cbc:ProcurementType	<p>BT ID: BT-777 Name: Strategic Procurement Description Usage: Description of the use of a technical specification, selection criterion, award criterion, or contract performance condition aims to reduce the environmental impacts of the procurement, fulfil social objectives and/or buy an innovative work, supply or service. <i>Example:</i> <i>Beskrivning av ...</i></p>
0..1		cac:RequestedTenderTotal	
0..1		cbc:EstimatedOverallContractAmount	<p>BT ID: BT-27 Name: Estimated Value Usage: The Estimated Value represents the maximum aggregated amount of all the individual components that constitute the current notice, Group of lots, lot or part. Currency and amount</p>

XML Schema guide ContractAwardNotice

Mult.	Tree	XML Element	Business term
			shall be specified. <i>Example:</i> 2500000
M		<i>currencyID</i>	<i>Example:</i> SEK
0..n		cac:MainCommodityClassification	
1..1		cbc:ItemClassificationCode	BT ID: BT-262 Name: Main Classification Code Usage: The code from the classification that best characterizes the purchase. Codelist: Common Procurement Vocabulary <i>Example:</i> 752000008
M		<i>listName</i>	BT ID: BT-26 Name: Classification Type Usage: Possible values are listed in the Classification Type codelist. Currently, only the "CPV" and "SupplementaryCPV" values are considered; however, other classification systems could later be used. Mapping: @listName="CPV" "SupplementaryCPV" <i>Example:</i> CPV
0..n		cac:AdditionalCommodityClassification	
1..1		cbc:ItemClassificationCode	BT ID: BT-263 Name: Additional Classification Codes Usage: An additional code from the classification that also characterize the purchase. Codelist: Common Procurement Vocabulary <i>Example:</i> 752000008
M		<i>listName</i>	BT ID: BT-26 Name: Classification Type Usage: Possible values are listed in the Classification Type codelist. Currently, only the "CPV" and "SupplementaryCPV" values are considered; however, other classification systems could later be used. Mapping: @listName="CPV" "SupplementaryCPV" <i>Example:</i> SupplementaryCPV
0..n		cac:RealizedLocation	
1..1		cac:Address	
0..1		cbc:CountrySubentityCode	BT ID: BT-5071 Name: Place Performance Country Subdivision Usage: The location according to the common classification of territorial units for statistics (NUTS). The NUTS classification code must be used. Mapping: @listName="NUTS3" Codelist: https://www.scb.se/hitta-statistik/internationell-statistik/eu-statistik/eus-regioner---nuts/ <i>Example:</i> SE110
M		<i>listName</i>	<i>Example:</i> NUTS3
0..1		cac:Country	
1..1		cbc:IdentificationCode	BT ID: BT-5141 Name: Place Performance Country Code Usage: The country of the place of performance. Mapping: @listName="country" Codelist: https://op.europa.eu/sv/web/eu-vocabularies/at-dataset/-/resource/dataset/country <i>Example:</i> SWE
M		<i>listName</i>	<i>Example:</i> country
0..1		cac:PlannedPeriod	
0..1		cbc:StartDate	BT ID: BT-536 Name: Duration Start Date Usage: The (estimated) date when the contract, framework agreement, dynamic purchasing system or qualification system will start. <i>Example:</i> 2021-01-01
0..1		cbc:EndDate	BT ID: BT-537 Name: Duration End Date Usage: The (estimated) date when the contract, framework agreement, dynamic purchasing system or qualification system will finish. <i>Example:</i> 2021-05-01
0..1		cbc:DurationMeasure	BT ID: BT-36

XML Schema guide ContractAwardNotice

Mult.	Tree	XML Element	Business term
			<p>Name: Duration Period</p> <p>Usage: The Duration Period shall be used with the specification of the unit (ex MONTH) and its total number (ex 6) to cover the whole period. Unit of measure shall correspond to one of the duration units defined in the time-period codelist.</p> <p>Codelist: If the duration is unlimited, use code 'UNLIMITED' and value '1' https://op.europa.eu/en/web/eu-vocabularies/at-dataset/-/resource/dataset/timeperiod</p> <p><i>Example:</i> 6</p>
M		unitCode	<i>Example:</i> MONTH
0..1		cac:ContractExtension	
1..1		cbc:OptionsDescription	<p>BT ID: BT-54</p> <p>Name: Description of options</p> <p>Usage: Description of contract extensions.</p> <p><i>Example:</i> Köparen förbehåller sig rätten att...</p> <p>BT ID: BT-53</p> <p>Name: Options</p> <p>Usage: BT-53 is a business term saying if options are possible or not. In the syntax binding to UBL 2.3 this can be deducted by the existance of the cbc:OptionsDescription-element. True if OptionsDescription exists.</p>
1..n		cac:TenderResult	
0..1		ext:UBLExtensions	
1..n		ext:UBLExtension	
1..1		ext:ExtensionContent	
0..1		cbc:LowerTenderAmount	<p>BT ID: BT-710</p> <p>Name: Tender Value Lowest</p> <p>Usage: Value of the admissible tender with the lowest value.</p> <p>NB. BT located in this location to mirror current TED forms. (Located in TenderingProcess/ext:UBLExtensions/ext:UBLExtension/ext:ExtensionContent/xs:any according to eForms schema guide)</p> <p><i>Example:</i> 250000</p>
0..1		cbc:HigherTenderAmount	<p>BT ID: BT-711</p> <p>Name: Tender Value Highest</p> <p>Usage: Value of the admissible tender with the highest value.</p> <p>NB. BT located in this location to mirror current TED forms. (Located in TenderingProcess/ext:UBLExtensions/ext:UBLExtension/ext:ExtensionContent/xs:any according to eForms schema guide)</p> <p><i>Example:</i> 300000</p>
1..1		efext:EformsExtension	
1..1		efac:Statistics	
1..1		efbc:StatisticsCode	<p>BT ID: BT-760</p> <p>Name: Received Submissions Type</p> <p>Usage: The type of tenders or requests to participate received per category.</p> <p>NB. BT located in this location to mirror current TED forms. (Located in TenderingProcess/ext:UBLExtensions/ext:UBLExtension/ext:ExtensionContent/xs:any according to eForms schema guide)</p> <p>Mapping: @listName="received-submission-type"</p> <p>Codelist: https://op.europa.eu/sv/web/eu-vocabularies/at-concept-scheme/-/resource/authority/received-submission-type-t-sme</p> <p><i>Example:</i> t-sme</p>
1..1		efbc:StatisticalNumeric	<p>BT ID: BT-759</p> <p>Name: Received Submissions Count</p> <p>Usage: Number of received tenders or requests to participate.</p> <p>NB. BT located in this location to mirror current TED forms. (Located in TenderingProcess/ext:UBLExtensions/ext:UBLExtension/ext:ExtensionContent/xs:any according to eForms schema guide)</p> <p><i>Example:</i> 3</p>

XML Schema guide ContractAwardNotice

Mult.	Tree	XML Element	Business term
1..1		cbc:TenderResultCode	<p>BT ID: BT-142</p> <p>Name: Winner Chosen</p> <p>Usage: To indicate whether a winner was chosen or not. If not, use BT-144 to indicate reason.</p> <p>Mapping: Value/Värde "selec-w" + @listName="tender-result"</p> <p><i>Example:</i> <i>selec-w</i></p> <p>BT ID: BT-144</p> <p>Name: Not Awarded Reason</p> <p>Mapping: @listName="non-award-justification"</p> <p>Codelist: https://op.europa.eu/en/web/eu-vocabularies/at-concept-scheme/-/resource/authority/non-award-justification + TED XML codes: PROCUREMENT_UNSUCCESSFUL</p> <p><i>Example:</i> <i>all-rej</i></p>
M		listName	<i>Example:</i> <i>tender-result</i>
1..1		cbc:AwardDate	<p>BT ID: BT-1451</p> <p>Name: Winner Decision Date</p> <p>Usage: The date of the official decision choosing the winning tender(s) or no winner was selected and the competition is closed. If winning decision date is unknown (happens in some TED forms), then use dummy-value '0001-01-01' as the element is mandatory in UBL 2.3.</p> <p><i>Example:</i> <i>2021-03-15</i></p>
0..1		cac:Contract	
1..1		cbc:IssueDate	<p>BT ID: BT-145</p> <p>Name: Contract Conclusion Date</p>
0..1		cac:AwardedTenderedProject	
0..n		cac:ProcurementProjectLot	
1..1		cbc:ID	<p>BT ID: BT-13714</p> <p>Name: Tender Lot Identifier</p> <p>Usage: An identifier referring to the lot this TenderResult is related to.</p> <p><i>Example:</i> <i>1</i></p>
0..1		cac:TenderingProcess	
0..1		cbc:TerminatedIndicator	<p>BT ID: BT-119</p> <p>Name: Dynamic Purchasing System Termination</p> <p>Usage: The dynamic purchasing system is terminated and no further contracts, besides those published in this notice, will be awarded in the dynamic purchasing system.</p> <p>Mapping: cbc:ContractingSystemCode/text()='DPS'</p> <p><i>Example:</i> <i>true</i></p>
0..n		cac:ProcessJustification	
0..1		cbc:ProcessReasonCode	<p>BT ID: BT-136</p> <p>Name: Direct Award Justification Code</p> <p>Usage: A justification for using a procedure which allows directly awarding contracts, i.e. a procedure that does not require publishing a call for competition in the Official Journal of the European Union.</p> <p>Mapping: @listName="direct-award-justification"</p> <p>Codelist: https://op.europa.eu/sv/web/eu-vocabularies/at-dataset/-/resource/dataset/direct-award-justification + TED XML codes: D_OUTSIDE_SCOPE</p> <p><i>Example:</i> <i>artistic</i></p>
M		listName	<i>Example:</i> <i>direct-award-justification</i>
0..1		cbc:ProcessReason	<p>BT ID: BT-135</p> <p>Name: Direct Award Justification Text</p> <p>Usage: Used if no code in BT-136 is applicable.</p> <p><i>Example:</i> <i>Tilldelning kan endast...</i></p>
0..1		cac:LegalMonetaryTotal	
1..1		cbc:PayableAmount	<p>BT ID: BT-720</p> <p>Name: Tender Value</p> <p>Usage: The value of the tender or another result; including options and renewals.</p> <p><i>Example:</i> <i>2500000</i></p>
M		currencyID	<i>Example:</i> <i>SEK</i>
0..1		cac:SubcontractTerms	

XML Schema guide ContractAwardNotice

Mult.	Tree	XML Element	Business term
1..1		cbc:SubcontractingConditionsCode	<p>BT ID: BT-773</p> <p>Name: Subcontracting</p> <p>Usage: Whether at least a part of the contract will be subcontracted. Use code value "yes"</p> <p>Mapping: @listName="applicability"</p> <p>Codelist: https://op.europa.eu/sv/web/eu-vocabularies/at-concept-scheme/-/resource/authority/applicability</p> <p><i>Example:</i> yes</p>
M		<i>listName</i>	<i>Example:</i> applicability
0..n		cac:WinningParty	
0..1		cbc:Rank	<p>BT ID: BT-171</p> <p>Name: Tender Rank</p> <p>Usage: The position of the tender (i.e. whether the tender ended up first, second, third, etc.) in a design contest, some framework agreements with multiple winners (e.g. cascades) or an innovation partnership.</p> <p><i>Example:</i> 1</p>
1..1		cac:Party	
0..1		cac:PartyName	
1..1		cbc:Name	<p>BT ID: BT-500</p> <p>Name: Organisation Name</p> <p>Usage: The official name of the organisation.</p> <p><i>Example:</i> Exempelnamn</p>
0..1		cac:PartyLegalEntity	
1..1		cbc:CompanyID	<p>BT ID: BT-501</p> <p>Name: Organisation Identifier</p> <p>Usage: The identifier of the organisation, such as Swedish Organisation number</p> <p><i>Example:</i> 5512345678</p>